

HEALTH CARE PRODUCT GUIDE

Allow your Residents to Delight in the Comforts of Home



MICRO
FRIDGE
by **Danby**

*Intirion Corporation and its affiliates are not responsible for false and/or actual fire alarms caused by the proper or in-proper use of MicroFridge products.

WHY MICROFRIDGE®?

MicroFridge® provides peace of mind, defines trends, delivers comfort, and allows your residents to delight in the comforts of home. Through our ingenuity and innovation, we offer the total solution to small space living needs. With our tradition of forward-thinking, which spans almost 33 years, MicroFridge continues to lead the way in advancements, performance and style.

WHICH MICROFRIDGE® COLLECTION MEETS YOUR NEEDS?



We believe placing safety first is courageous, inspiring and a professional choice. We believe in making smart decisions and trusting the companies you do business with.

We are dedicated to making your residents stay safe and comfortable by leading the way in innovation and durability.

We are MicroFridge® with **exclusive patented 1st Defense™ Smoke Sensor Technology and Safe Plug™**, and we love designing the industry's safest and best-in-class for energy saving combination appliances.



We bring you more for less. Danby Health delivers medical grade components, microprocessor digital controls, temperature monitoring, energy efficiency and much more for less than you'd expect.

We know Medical and Clinical facilities require proven reliability and our aim is to deliver appliances healthcare workers can trust.

We are Danby® Health™ by MicroFridge®, and we are proud to be part of your "Care Team."



We create brilliant and inspired appliances designed to fit your space and residents needs. We believe thoughtful design is always in season.

Like you, we move with the times by continually evolving the functionality and innovative features of our appliances.

Not only do Danby appliances look good, they're built great too – and you can feel secure knowing our problem-solving team located in North America is always just a phone call or email away.

SAFETY FIRST WITH THOUGHTFUL APPLIANCES FOR YOUR RESIDENTS.

Built to last and designed with tomorrow in mind.


MicroFridge® means a better experience for every resident—offering top tier safety, convenience and next generation features – including the **industry strongest 7-year warranty with on-site service.**



STAY SAFE

with **NEW 1st Defense™ Patented Smoke Sensor**

Located inside the microwave, this technology automatically shuts down operations and alerts the user of smoke before any damage is done.



GET MORE

with **NEW USB Charging Station**

The convenience every resident wants, within easy reach.



SAVE POWER

with **Safe Plug™ Technology**

Use less power and save – at just 11-13 amps, use half the electricity of a separate microwave and refrigerator.

3.0RMF4H-7D1W

Combination Unit Dimensions:

43 3/16" (109.7 cm) H x 18 10/16" (47.3 cm) W x 20 2/16" (51.1 cm) D

Refrigerator Features

- 1 full and 1 half-width wire shelves
- 2 full-width door shelves
- Temperature control
- Semi-auto defrost
- White interior
- Estar rated
- Easy grip handles simplify opening and closing of appliance
- Transparent crisper

Cabinet Features

- Bevel-edge, Tri-Panel door design
- Integrated door handle
- Cord management hinge clip system
- Reversible door hinge
- Leveling legs
- 5.5 ft (1.68 meters) cord
- Available in left or right hinge

Microwave Features

- Internal smoke sensor
- USB charging station with 4 amps max for the 2 USB ports and one charging station
- Easy-grip pull door
- Express cook settings
- Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Freezer Features

- True zero-degree freezer
- Manual defrost
- Full-width door shelf
- 1 ice cube tray

Shown in classic white. Also available in classic black and true stainless steel.

3.0RMF4H-7D1S

Combination Unit Dimensions:

43 3/16" (109.7 cm) H x 18 10/16" (47.3 cm) W x 20 2/16" (51.1 cm) D

Refrigerator Features

- 1 full and 1 half-width wire shelves
- 2 full-width door shelves
- Temperature control
- Semi-auto defrost
- Black interior
- Estar rated
- Easy grip handles simplify opening and closing of appliance
- Transparent crisper

Cabinet Features

- Bevel-edge, Tri-Panel door design
- Integrated door handle
- Cord management hinge clip system
- Reversible door hinge
- Leveling legs
- 5.5 ft (1.68 meters) cord
- Available in left or right hinge

Microwave Features

- Internal smoke sensor
- USB charging station with 4 amps max for the 2 USB ports and one charging station
- Easy-grip pull door
- Express cook settings
- Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Freezer Features

- True zero-degree freezer
- Manual defrost
- Full-width door shelf
- 1 ice cube tray

Shown in true stainless steel. Also available in classic black and classic white.

4.8RMF4H-7D1

Combination Unit Dimensions:

56 3/16" (142.7 cm) H x 18 10/16" (47.3 cm) W x 22 2/16" (57.1 cm) D

Refrigerator Features

- 2 full and 1 half-width wire shelves
- 3 full-width door shelves
- 2 liter bottle storage
- Temperature control
- Auto defrost
- White interior
- Estar rated
- Easy grip handles simplify opening and closing of appliance
- Transparent crisper
- Meets ADA guidelines

Cabinet Features

- Bevel-edge, Tri-Panel door design
- Integrated door handle
- Cord management hinge clip system
- Reversible door hinge
- Leveling legs
- 5.5 ft (1.68 meters) cord

Microwave Features

- Internal smoke sensor
- USB charging station with 4 amps max for the 2 USB ports and one charging station
- Easy-grip pull door
- Express cook settings
- Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Freezer Features

- True zero-degree freezer
- Automatic defrost
- 2 full-width door shelves

Shown in classic black. Also available in classic white.

DANBY HEALTH FIRST IN CLASS

Introducing the newly designed Danby Health counter-top and under-counter compact refrigerators. Built with commercial grade components and loaded with powerful features, Danby Health combines innovative technology, energy efficiency and proven reliability demanded by Medical and Clinical facilities.

GO DIGITAL

Our unique digital controller locks-in a precise temperature range, displays the current reading, and then automatically records and stores over 8000 pcs. of data for easy download through our built-in USB port.

GO GREEN

We use industry leading R600a refrigerant in our Danby Health refrigerators to help contribute to an eco-friendly environment. By the year 2020, the U.S. Government will ban R134a and R404a refrigerants.





DH016A1W

A 1.6 cu. ft. counter-top compact refrigerator.



FEATURES

- Temperature Stability maintains a 2C° - 8C° range
- Internal forced-air fan
- External digital display
- High/Low temperature alarm
- Door open alarm
- Integrated temperature logger stores readings for temperature monitoring
- Built-in USB port for easy downloading stored temperature data
- Keyed door lock
- Flat door liner follows CDC guidelines
- Hospital grade "Green Dot" power cord
- 2 full and 1 half width wire shelves
- Interior LED lighting
- Healthy Handle effectively inhibits a broad spectrum of germs



DH032A1W

A 3.2 cu. ft. under-counter compact refrigerator.

Danby
Do the right thing.



BRILLIANT, DURABLE APPLIANCES DESIGNED TO FIT YOUR RESIDENT'S LIFESTYLE.

Danby has an extensive portfolio of innovative, durable compacts and mid-size refrigeration, counter-top microwaves, ranges, and specially appliances to serve your resident's lifestyle.

FEEL GOOD ABOUT YOUR PURCHASE.
DO THE RIGHT THING.

1947
est.

TRUSTED BY CUSTOMERS
FOR OVER 70 YEARS



INNOVATIVE DESIGNS
BUILT TO LAST



LEADERS IN REFRIGERATION
& SPECIALTY APPLIANCES



NEW! FULL-SIZED SUITE



DFF180E1BSS

18 cu. ft. stainless steel refrigerator with top-mount freezer

Unit Dimensions:

Width 29 8/16 in. (74.9 cm)
Depth 32 13/16 in. (83.3 cm)
Height 64 14/16 in. (164.8 cm)

Only available in stainless steel, color shown.



DDW2404EBSS

24" built-in stainless steel dishwasher

Unit Dimensions:

Width 23 10/16 in. (60.0 cm)
Depth 23 13/16 in. (58.0 cm)
Height 32 8/16 in. (82.5 cm)

Only available in stainless steel, color shown.



DOM16A2SSDB

1.6 cu. ft. stainless steel over the range microwave

Unit Dimensions:

Width 29 13/16 in. (75.8 cm)
Depth 18 3/16 in. (46.2 cm)
Height 16 14/16 in. (42.9 cm)

Only available in stainless steel, color shown.

MICROWAVES



DMW799BL

0.7 cu. ft microwave with 700 watts of cooking power

Unit Dimensions:

Width 17 15/16 in. (45.5 cm)

Depth 13 3/16 in. (33.5 cm)

Height 10 5/16 in. (26.2 cm)

Shown in black. Also available in white.



DMW07A2SSDD

0.7 cu. ft microwave with 700 watts of cooking power

Unit Dimensions:

Width 17 3/16 in. (45.2 cm)

Depth 13 3/4 in. (35.0 cm)

Height 10 5/16 in. (26.2 cm)



DMW09A2BSSDB

0.9 cu. ft microwave with 900 watts of cooking power

Unit Dimensions:

Width 19 in. (43.6 cm)

Depth 14 5/16 in. (36.4 cm)

Height 11 1/16 in. (28.10 cm)

Shown in spotless steel. Also available in black and white.



DMW1110BLDB

1.1 cu. ft microwave with 1000 watts of cooking power

Unit Dimensions:

Width 21 1/4" (53.9 cm)

Depth 16 1/8" (40.5 cm)

Height 11 13/16" (30.0 cm)



DMW111KPSSDD

1.1 cu. ft microwave with 1000 watts of cooking power

Unit Dimensions:

Width 21 4/16 in. (53.9 cm)

Depth 15 15/16 in. (40.5 cm)

Height 11 13/16 in. (30.0 cm)

COMPACT REFRIGERATORS



DAR016A1BDB

1.6 cu. ft. compact all-refrigerator with automatic defrost

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 17 11/16 in. (45 cm)
Height 19 13/16 in. (50.3 cm)

Shown in black. Also available in spotless steel (DAR016A1BSLDB)



DAR017A2BDD

1.7 cu. ft. compact all-refrigerator with automatic defrost

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 20 1/16 in. (51 cm)
Height 20 1/16 in. (51 cm)

Only available in black, color shown.



DAR023C1BDB

2.3 cu. ft. compact all-refrigerator with automatic defrost

Unit Dimensions:

Width 18 11/16 in. (47.4 cm)
Depth 17 10/16 in. (44.7 cm)
Height 25 1/16 in. (63.6 cm)

Shown in black. Also available in spotless steel (DAR023C1BSLDB)



DAR026A1BDD

2.6 cu. ft. compact all-refrigerator with automatic defrost

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 20 1/16 in. (51 cm)
Height 26 15/16 in. (68.5 cm)

Shown in black. Also available in white



DAR033A1BDD

3.3 cu. ft. compact all-refrigerator with automatic defrost

Unit Dimensions:

Width 17 11/16 in. (45.0 cm)
Depth 20 1/16 in. (51.0 cm)
Height 33 1/16 in. (84.0 cm)

Shown in black. Also available in white

COMPACT REFRIGERATORS



DAR044A4BDD

4.4 cu. ft. compact all-refrigerator with automatic defrost

Unit Dimensions:

Width 20 11/16 in. (52.6 cm)
Depth 20 14/16 in. (53.0 cm)
Height 32 11/16 in. (83.1 cm)

Shown in black. Also available in white



DCR032A2BSLDD

3.2 cu. ft. compact refrigerator with a full width chill space and semi-automatic defrost

Unit Dimensions:

Width 17 11/16 in. (44.9 cm)
Depth 18 8/16 in. (47.0 cm)
Height 32 11/16 in. (83.1 cm)

Shown in spotless steel. Also available in black and white.



DCR044A2BSLDD

4.4 cu. ft. compact refrigerator with a full width chill space and semi-automatic defrost

Unit Dimensions:

Width 20 11/16 in. (52.6 cm)
Depth 20 14/16 in. (53.0 cm)
Height 32 11/16 in. (83.1 cm)

Shown in spotless steel. Also available in black and white.



DCR031B1BSLDD

3.1 cu. ft. compact refrigerator with true-zero degree freezer and cycle defrost

Unit Dimensions:

Width 18 14/16 in. (48.0 cm)
Depth 19 11/16 in. (50.0 cm)
Height 33 7/16 in. (85.0 cm)

Only available in spotless steel, color shown.

Danby
Do the right thing.



BRILLIANT, DURABLE APPLIANCES DESIGNED TO FIT YOUR RESIDENT'S LIFESTYLE.

Danby® apartment size refrigerators are a solution to any small kitchen space. Don't let the term mid-size refrigerators fool you - they offer the same storage solutions on the interior and include a freezer. Choose a Danby® refrigerator to save space in your kitchen!

MID-SIZED REFRIGERATORS



DFF048A4WDB

4.8 cu. ft. refrigerator with a frost free defrost system

Unit Dimensions:

Width 18 10/16 in. (47.3 cm)

Depth 22 8/16 in. (57.1 cm)

Height 47 8/16 in. (120.7 cm)

Only available in white, color shown.



DFF092C1BSLDB

9.2 cu. ft. refrigerator with automatic defrost

Unit Dimensions:

Width 23 13/16 in. (60.5 cm)

Depth 26 7/16 in. (67.1 cm)

Height 59 13/16 in. (151.9 cm)

Only available in spotless steel, color shown.



DFF100C1BSLDB

10.0 cu. ft. refrigerator with automatic defrost

Unit Dimensions:

Width 23 13/16 in. (60.5 cm)

Depth 26 7/16 in. (67.1 cm)

Height 59 13/16 in. (151.9 cm)

Shown in spotless steel. Also available in white.



DFF103A4WDB

10.0 cu. ft. refrigerator with a frost free defrost system

Unit Dimensions:

Width 23 12/16 in. (60.3 cm)

Depth 26 12/16 in. (68.0 cm)

Height 58 10/16 in. (149.1 cm)

Only available in white, color shown.

COMPACT ALL-GLASS REFRIGERATORS

Danby's compact all-glass refrigerators feature an elegant see-through glass door design with a stainless steel-like trim. Its ample storage space, interior LED light and commercial grade energy rating makes it the perfect addition for any room.



*Model DAG026A1BDB

COMPACT ALL-GLASS REFRIGERATORS



DAG016A1BDB

1.6 cu. ft. compact all-refrigerator with see-through glass door

Unit Dimensions:

Width 17 11/16 in. (45.0 cm)

Depth 19 11/16 in. (50.0 cm)

Height 20 1/4 in. (51.5 cm)



DAG026A1BDB

2.6 cu. ft. compact all-refrigerator with see-through glass door

Unit Dimensions:

Width 17 1/2 in. (44.5 cm)

Depth 19 11/16 in. (50.0 cm)

Height 27 1/8 in. (68.9 cm)

BEVERAGE CENTER



DBC120BLS

3.3 cu. ft beverage center with see-through glass door

Unit Dimensions:

Width 17 8/16 in. (44.5 cm)

Depth 20 1/16 in. (51.0 cm)

Height 32 11/16 in. (83.1 cm)



DPA060B7WDB - Portable AC

Perfect for cooling bedrooms and other small living spaces up to 250 square feet

6,000 BTU portable air conditioner

Unit Dimensions:

Width 12 8/16 in. (31.75 cm)
Depth 12 13/16 in. (32.54 cm)
Height 24 3/16 in. (61.44 cm)

Shown in white. Also available in black



DPA140E3WDB-6- Portable AC

Convenient 3-in-1 design: air conditioner, fan, and dehumidifier

14.00 BTU portable air conditioner

Unit Dimensions:

Width 17 2/16 in. (43.50 cm)
Depth 14 3/16 in. (36.04 cm)
Height 28 6/16 in. (72.07 cm)



DDR50B1BDB- Dehumidifier

Get rid of unwanted moisture from your home with this 50-pint dehumidifier

50 pint dehumidifier

Unit Dimensions:

Width 15 6/16 in. (39.05 cm)
Depth 11 in. (27.94 cm)
Height 23 4/16 in. (59.06 cm)



DDR45B3WDB- Dehumidifier

Perfect for eliminating moisture for areas up to 2,500 square feet

45 pint dehumidifier

Unit Dimensions:

Width 15.43 in. (39.2 cm)
Depth 19.80 in. (50.3 cm)
Height 11.14 in. (28.3 cm)



Danby®
AIR PURIFIERS
Capturing 99% of dust and allergens



DAP120BBWDB

The O2Clean Air Purifier is ideal for living spaces up to 186 sq. ft.

186 sq. ft. air purifier

Unit Dimensions:

Width 8 1/2 in. (21.59 cm)
Depth 11 in. (27.94 cm)
Height 27 in. (68.58 cm)



DAP110BAWDB

This Danby air purifier is ideal for living spaces up to 170 sq. ft.

170 sq. ft. air purifier

Unit Dimensions:

Width 13 in. (33.02 cm)
Depth 7 in. (17.78 cm)
Height 9 1/2 in. (49.53 cm)

SPECIFICATIONS

MicroFridge®

3.0RMF4H-7D1/S/W 4.8RMF4H-7D1/W





Capacity

Refrigerator	2.16 cu. ft. /62 liters	3.38 cu. ft. /95.7 liters
Freezer	0.81 cu ft./23 L	1.37 cu. ft./38.4 liters
Total Volume	3.0 cu. ft. /85 liters	4.8 cu. ft. /134.5 liters





Freezer Features

Type	True Zero-Degree	True Zero-Degree
Defrost	Semi-Auto	Auto
Shelves	0	1
Door Shelves	1 full-width	2
Ice Cube Tray	Yes	Yes

Refrigerator Specifications

Exterior Color		
Interior Color		
Reversible Door Hinge	Yes	Yes
Tri-Panel Door	Yes	Yes
Handle Type	Easy Grip	Easy Grip
Full Shelves	1	2
Half Shelves	1	1
Door Shelves	2 full-width	3 full-width
Crisper	Yes	Yes
Upright 2-liter	Yes	Yes
Defrost	Semi Auto	Automatic
Leveling Legs	Yes	Yes
Width (W)	18 10/16" (47.3 cm)	18 10/16" (47.3 cm)
Height (H)	34 8/16" (87.6 cm)	47 5/16" (120.6 cm)
Depth (D)	20 3/16" (51.1 cm)	22 5/16" (57.1 cm)
Product Weight	57 lbs (25.85.0 kg)	82 lbs (37.1 kg)
Shipping Weight	65 lbs (29.48 kg)	93.0 lbs (42.1 kg)

Microwave Specifications




Power	120 V/60 Hz	120 V/60 Hz
Cook Power	700 watts	700 watts
Capacity (cu. ft.)	0.7 cu ft (19.8 liters)	0.7 cu ft (19.8 liters)
Controls	Electronic	Electronic
Exterior Color		
Interior Color		
Width (W)	18 3/16" (46.0 cm)	18 3/16" (46.0 cm)
Height (H)	10 9/16" (27.0 cm)	10 9/16" (27.0 cm)
Depth without handle (D)	14 7/16" (36.6 cm)	14 7/16" (36.6 cm)
Product Weight	26.5 lbs (12.0 kg)	26.5 lbs (12.0 kg)
Shipping Weight	28.2 lbs (12.8 kg)	28.2 lbs (12.8 kg)

Miscellaneous

Combination Dimensions H x W x D	43 3/16" (109.7 cm) H x 18 10/16" (17.3 cm) W x 20 3/16" (51.1 cm) D	56 3/16" (142.7 cm) H x 18 10/16" (47.3 cm) W x 22 5/16" (57.1 cm) D
Energy (kWh/year)	319	346
Energy Star Rated	Yes	Yes
Warranty	7-Year with on-site service	7-Year with on-site service

Danby Specialty Appliance

DBC120BLS DAG016A1BDB DAG026A1BDB

Capacity	120 cans 3.3 cu. ft. (93.5 L)	120 cans 1.6 cu. ft. (45.4 L)	2.6 cu. ft. (74.4 L)
Temp. Range	43°F-57 F (6°C-14°C)	32° F-50 F (0° C-10° C)	32° F-50 F (0° C-10° C)
Exterior Color			
Full Shelves	3	1	2
Half Shelves	1	3	3
Door handle	Recessed Side Mount	Integrated	Integrated
Interior Light	Door Activated	Yes	Yes
Reversible Door hinge	Yes	Yes	Yes
Door Lock	Yes	No	No

UNIT DIMENSIONS

Width	17 14/16" (45.5 cm)	17 11/16" (45.0 cm)	17 1/2" (44.5 cm)
Height	33 11/16" (85.6 cm)	20 1/4" (54.0 cm)	27 1/8" (68.9 cm)
Depth	19 12/16" (50.2 cm)	19 11/16" (50.0 cm)	19 11/16" (50.0 cm)

CARTON DIMENSIONS



Width	18" (45.7 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)
Height	34 8/16" (87.6 cm)	21 1/4" (54.0 cm)	28 1/16" (71.2 cm)
Depth	21" (53.3 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)
Weight	69.7 lbs / 31.6 kg	48.3 lbs/21.9 kg	25.8 kg (56.9 lbs)

MISCELLANEOUS

Energy Star Rated	No	No	No
Warranty	24 months part and labor	24 months part and labor	24 months part and labor

Danby Portable Air Conditioner

DPA060B7W/BDB DPA140E3WDB-6

BTU/SACC Cooling	6,000/3,000	14,000/8,400
Exterior Color		
Fan Speeds	2	3
Cooling Speeds	2	3
Dehumidifier Mode	1	3
Single or Dual Hose	Single	Single
Control/Display	Electronic/LED	Electronic/LED
Auto-On Timer	Yes	Yes
Removable Air Filter	Yes	Yes
Direct Drain	Yes	No

UNIT DIMENSIONS

Width	12 8/16" (31.8 cm)	17 2/16" (43.5 cm)
Height	24 3/16" (61.5 cm)	28 6/16" (72.0 cm)
Depth	12 13/16" (32.5 cm)	14 3/16" (36.0 cm)

CARTON DIMENSIONS

Width	14 2/16" (35.8 cm)	19 2/16" (48.5 cm)
Height	33" (83.8 cm)	36 1/16" (89.0 cm)
Depth	15 4/16" (38.8 cm)	16 15/16" (43.0 cm)
Weight	54.9 lbs / 24.9 kg	81.3 lbs/36.9 kg

MISCELLANEOUS

Energy Star Rated	No	No
Warranty	24 months part and labor	24 months part and labor

SPECIFICATIONS

Danby Health

	DH016A1W	DH032A1W
Capacity	1.6 cu. ft.	3.2 cu. ft.
Cord Length	1.8 m / 70.87 in. / 5.91 ft.	1.8 m / 70.87 in. / 5.91 ft.
Temp. Cooling Range (°F/°C)	35.6 - 46.4°F / 2-8°C	35.6 - 46.4°F / 2-8°C
Defrost Location	Defrost Drain. Back	Defrost Drain. Back
Interior Lights/Qty/Type/Color	Yes/9/LED/White	Yes/9/LED/White
Full Shelves/Half Shelves	1/1	2/1
Thermostat/Display Color/Position	Electronic/Blue/Top	Electronic/Blue/Top
Cabinet Color	White	White
Worktop	White	White
Refrigerant Type	R600a	R600a
Sound Level	42db	42db
Condenser Evaporator Configuration	Flush Back/In Wall	Flush Back/In Wall
Defrost System Type	Cycle	Cycle
Installation Type	Free Standing Only	Free Standing Only
Power Input @115V	115V	115V
Leveling Legs	Yes	Yes

UNIT DIMENSIONS

Width	17 11/16" (4.5 cm)	17 11/16" (4.5 cm)
Height	21 7/16" (54.5 cm)	34 7/16" (87.5 cm)
Depth	19 6/16" (49.2 cm)	19 3/8" (49.2 cm)
Weight	41.01 lbs/18.6 kg	51.39 lbs/23.3 kg



CARTON DIMENSIONS

Width	18 2/16" (4.60 cm)	18 2/16" (4.6 cm)
Height	22 5/16" (4.60 cm)	35 5/16" (89.7 cm)
Depth	21 4/16" (54.0 cm)	21 4/16" (54.0 cm)
Weight	45.86 lbs/20.8 kg	57.74 lbs/26.2 kg

MISCELLANEOUS

Warranty	24 months part and labor	24 months part and labor
----------	--------------------------	--------------------------

Danby Electric Ranges

	DER244BSS	DER202BSS
Type of Range	Free-standing Electric	Free-standing Electric
Total burners	2 front and 2 rear	2 front and 2 rear
Operating Voltage	220V	220V
2 Front Burners	2100 W (8") and 1250W (6")	1250 W (6") and 2400 (8")
2 Rear Burners	1250 W (6")	1250 W (6")
Burner Bowls/Lids	Porcelain-enamel	Porcelain-enamel
Exterior Color		
Oven Capacity	2.9 cu. ft.	2.3 cu.ft.
Oven Door Window	Yes	Yes
Oven Racks	2	2
Broil pan	Yes	No
Ignition type	Electric	Electric
Manual clean	Yes	Yes
Oven Light	Yes	No
Leveling Legs	Yes	Yes
Frontal Anti-Tipping System	Yes	Yes
Backsplash	5.24"	5.24"

UNIT DIMENSIONS

Width	24"	20.0"
Height	41.75"	41.75"
Depth (Door Open)	44.375"	44.375" (Door Open)
Weight	55.05 kg	43.25 kg






CARTON DIMENSIONS

Width	26.286"	22.336"
Height	42.848"	42.848"
Depth	29.047"	29.047"
Weight	62.95 kg	49.6 kg

MISCELLANEOUS

Warranty	24 months part and labor	24 months part and labor
----------	--------------------------	--------------------------

Danby Microwaves

	DMW799BL/W	DMW07A2SSDD	DMW09A2BSSDB	DMW1110BLDB	DMW111KPSSDD
Cook Power	700 watts	700 watts	900 watt	1000 watt	1000 watt
Capacity	0.7 cu. ft. (20 L)	0.7 cu. ft.	1.1 cu. ft. (31 L)	1.1 cu. ft. (30 L)	1.1 cu. ft. (31 L)
Controls	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad
Power Levels	10	10	10	10	10
Simple One Touch Cooking	Yes	Yes	Yes	Yes	Yes
Automatic Oven Light	Yes	Yes	Yes	Yes	Yes
Turntable	Yes	Yes	Yes	Yes	Yes
Exterior Color					

UNIT DIMENSIONS

Width	17 15/16" (45.5 cm)	17 3/16" (45.2 cm)	19" (43.6 cm)	21 4/16" (53.9 cm)	21 4/16" (21.2 cm)
Height	10 5/16" (26.2 cm)	10 5/16 in. (26.2 cm)	11 1/16" (28.1 cm)	11 13/16" (30.0 cm)	11 13/16" (30.0 cm)
Depth	13 3/16" (33.5 cm)	13 3/4 in. (35.0 cm)	14 5/16 in. (36.4 cm)	16 2/16" (41.0 cm)	15 15/16" (40.5 cm)
Weight	22.5 lbs/ 10.2 kg	28.6 lbs/ 13.2 Kg	32.0 lbs/ 14.5 kg	35.0 lbs/ 15.8 kg	36.6 lbs/ 16.6 kg

CARTON DIMENSIONS



















Width	19 8/16" (49.6 cm)	21"(53.3 cm)	22 13/16" (57.9 cm)	23 15/16" (60.8 cm)	23 15/16" (60.8 cm)
Height	11 11/16"(29.7 cm)	13" (33.0 cm)	14 4/16" (36.2 cm)	14 7/16" (36.6 cm)	14 7/16" (36.6 cm)
Depth	14 8/16" (36.8 cm)	17 3/16" (43.6 cm)	18 2/16" (46.0 cm)	18 7/16" (46.8 cm)	18 7/16" (46.8 cm)
Weight	26.5 lbs/ 12 kg	31.3 lbs/ 14.6 Kg	36.4 lbs/ 16.5 kg	40.5 lbs/ 18.6 kg	40.8 lbs/ 18.5 kg

MISCELLANEOUS

Warranty	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor
----------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

SPECIFICATIONS

Danby Compacts All Refrigerator

	DAR016A1BDB/ BSLDB	DAR017A2BDD	DAR023C1BDB/ BSLDB	DAR026A1BDD/ WDD	DAR033A1BDD/ WDD	DAR044A4BDD/ WDD	DCR032A2- BSLDD/BDD/WDD	DCR044A2BSLDD/ BDD/WDD	DCR031B1BSLDD
Capacity	1.6 cu. ft. (45.4 L)	1.7 cu. ft. (49 L)	2.3 cu. ft. (63.6 L)	2.6 cu. ft. (73 L)	3.3 cu. ft. (93.5 L)	4.4 cu. ft. (124 L)	3.2 cu ft (92 L)	4.4 cu ft (126 L)	3.1 cu ft (87 L)
Freezer type/capacity	N/A	N/A	N/A	N/A	N/A	N/A	Ice compartment /0.31 cu ft	Ice compartment /0.45cu. ft.	True-zero degree freezer/0.87 cu. ft.
Exterior Color									
Interior Color									
Reversible hinge	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full shelves	1	1	1 1/2	2	1	2	1	2	1
Half shelves	1	1	2	1	3	1	1	1	0
Door shelves	1 3/4 width	1 3/4 width	2 1/2 width	2 3/4 width	1 full, 2 3/4 width	1 full, 2 3/4 width	1 full, 2 3/4 width	1 full, 2 3/4 width	2 3/4 width
Crisper	No	No	No	No	No	No	No	No	Yes
Upright 2-liter bottle storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CanStor® Beverage dispenser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Semi-automatic	Semi-automatic	Cycle

UNIT DIMENSIONS

Width	17 11/16" (44.9 cm)	17 11/16" (45.0 cm)	18 11/16" (47.4 cm)	17 11/16" (45.0cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)	18 14/16" (48.0 cm)
Height	19 13/16" (50.3 cm)	20 1/16" (51.0cm)	25 1/16" (63.6 cm)	26 15/16" (68.5 cm)	33 1/16" (84.0 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)	33 7/16" (85.0 cm)
Depth	17 11/16" (44.9cm)	20 1/16" (51.0cm)	17 10/16" (44.7cm)	20 1/16" (51.0 cm)	20 1/16" (51.0 cm)	20 14/16" (53.0 cm)	18 8/16" (47.0cm)	20 14/16" (53.0 cm)	19 11/16" (50.0 cm)
Weight	34.2 lbs (15.5 kg)	40.4 lbs (18.3 kg)	39.7 lbs (18 kg)	45.7 lbs (20.7 kg)	51.7 lbs (23.5kg)	57.8 lbs (26.2 kg)	47.4 lbs (21.5 kg)	57.8 lbs (26.3 kg)	50.7 lbs (23.0 kg)









CARTON DIMENSIONS

Width	18 2/16" (46cm)	18 2/16" (46.0 cm)	20 4/16" (51.4 cm)	18 2/16" (46.0 cm)	18 2/16" (46.0 cm)	22 4/16" (56.5 cm)	18 2/16" (46.0 cm)	22 4/16" (56.5 cm)	19 11/16" (50.0 cm)
Height	20 14/16" (53cm)	21 7/16" (54.5 cm)	26 3/16" (66.5cm)	28 2/16" (71.5 cm)	34 10/16" (88 cm)	34 10/16" (88.0 cm)	34 1/16" (86.5 cm)	34 10/16" (88.0 cm)	34 13/16" (88.5 cm)
Depth	19 5/16" (49cm)	21 4/16" (54.0cm)	18 4/16" (46.3cm)	21 4/16" (54.0 cm)	21 4/16" (54.0 cm)	22 10/16" (57.5 cm)	19 11/16" (50.0 cm)	22 10/16" (57.5 cm)	21 4/16" (54.0 cm)
Weight	38.6 lbs (17.5 kg)	44.1 lbs/20.0 kg	44.1 lbs (20 kg)	50.2 lbs/22.8 kg	56.6 lbs/25.7 kg	64.4 lbs/29.2 kg	52.4 lbs/23.4 kg	64.3 lbs /29.17 kg	55.1 lbs/25.0 kg

MISCELLANEOUS



Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Energy (kWh/year)	245	221	247	253	259	268	218	226	319
R600a	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Warranty	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor

Danby Mid-size Refrigerators



	DFF048A4WDB	DFF092C1B-SLDB	DFF100C1B-SLDD/WDD	DFF103A4WDB		DFF048A4WDB	DFF092C1BSLDB	DFF100C1BSLDB/WDB	DFF103A4WDB	
Capacity	4.8 cu. ft. (135.9 L)	9.2 cu. ft. (26.0 L)	10.0 cu. ft. (281 L)	10.3 cu. ft. (291.5 L)		UNIT DIMENSIONS				
Freezer type/ capacity	Top mount 1.38 cu. ft. (39 L)	Bottom mount 2.8 cu. ft. (79.9 L)	Top mount 2.8 cu. ft. (79.9 L)	Top mount 2.4 cu. ft. (68.0 L)		Width	18 10/16" (47.3 cm)	23 13/16" (60.5 cm)	23 13/16" (60.5 cm)	23 12/16 (60.3 cm)
						Height	46" (116.8 cm)	59 13/16" (151.9 cm)	59 13/16" (151.9 cm)	58 10/16" (149.1 cm)
						Depth	22 12/16" (57.8 cm)	26 7/16" (67.1 cm)	26 7/16" (67.1 cm)	26 12/16" (68.0 cm)
Exterior color						Weight	82 lbs (37.2 kg)	125.7 lbs (57.0 kg)	123.5 lbs (56.0 kg)	135.0 lbs (61.2 kg)
Interior color						CARTON DIMENSIONS				
Reversible hinge	Yes	Yes	Yes	Yes		Width	20 4/16" (51.4 cm)	25 9/16" (65.0 cm)	25 9/16" (65.0 cm)	25 12/16" (65.4 cm)
Handle type	Recessed	Integrated	Integrated	Integrated		Height	47 14/16" (121.6 cm)	62 6/16" (158.4 cm)	62 6/16" (158.4 cm)	60 4/16" (153.0 cm)
Full shelves	2	2	2	2		Depth	24 12/16" (62.9 cm)	28 12/16" (73.0 cm)	28 12/16" (73.0 cm)	29 4/16" (74.3 cm)
Half shelves	0	0	0	0		Weight	93 lbs (42.2 kg)	138.9 lbs/63.0 kg	136.7 lbs/62.0 kg	144.0 lbs/65.3 kg
Freezer shelves	1	1	1	1		Energy Star Rated	No	Yes	Yes	Yes
Crisper	Yes	Yes	Yes	Yes		Energy (kWh/year)	329	374	330	297
Upright 2-liter bottle storage	Yes	Yes	Yes	Yes		R600a	No	Yes	Yes	No
CanStor® Beverage dispenser	No	Yes	No	No		Warranty	24 months part and labor	24 months part and labor	24 months part and labor	24 months part and labor
Defrost	Frost Free	Automatic	Automatic	Frost Free						

SPECIFICATIONS

Danby Dehumidifier

	DDR50B1BDB	DDR45B3WDB
Capacity	50 Pint	45 Pint
Exterior Color		
Auto De-Icer	Yes	Yes
Level Indicator Window	Yes	Yes
Humidity Range (Display)	30% - 90%	30% - 90%
Auto-Restart/Auto-On Timer	Yes/Yes	Yes/Yes
Control/Display	Electronic/LED	Electronic/LED
Smart Dehumidifier	Yes	Yes
Removable Air Filter	Yes	Yes
Fan Speeds	2	2
Direct Drain	Yes	Yes
UNIT DIMENSIONS		
Width	15 6/16" (39.1 cm)	15.43" (39.2 cm)
Height	23 4/16" (59.0 cm)	19.80" (50.3 cm)
Depth	11" (27.9 cm)	11.14" (28.3 cm)
CARTON DIMENSIONS		
Width	16 15/16" (43.0 cm)	16.77" (42.6 cm)
Height	24 7/16" (62.0 cm)	20.94" (53.2 cm)
Depth	13" (33.0 cm)	12.28" (31.2 cm)
Weight	41.4 lbs / 18.8 kg	N/A
MISCELLANEOUS		
Energy Star Rated	No	No
Warranty	24 months part and labor	24 months part and labor

Danby Air Purifier

	DAP120BBWDB	DAP110BAWDB
Clean Air Delivery Rate (CADR)	120	110
Reach	up to 186 sq. ft.	up to 170 sq. ft.
Exterior Color		
Filter	HEPA	HEPA & Active Carbon
Ionizer	No	Yes
UV Light Function	Yes	No
Fan Speeds	3	4
Controls	Electronic	Digital
Filter Change Reminder	Yes	Yes
UNIT DIMENSIONS		
Width	8 1/2" (22.1 cm)	13" (32.5 cm)
Height	27" (68.3 cm)	19 1/2" (50.0 cm)
Depth	11" (28.2 cm)	7" (17.5 cm)
CARTON DIMENSIONS		
Width	11 1/2" (28.8 cm)	15 1/2" (40.0 cm)
Height	29 1/2" (74.5 cm)	23" (59.0 cm)
Depth	13 1/2" (34.5 cm)	9 1/2" (23.5 cm)
Weight	16.09 lbs / 7.3 kg	14.55 lbs / 6.6 kg
MISCELLANEOUS		
Energy Star Rated	No	No
Warranty	24 months part and labor	24 months part and labor



Intirion Corporation • 2 Annette Road, Suite 3
Foxboro, MA 02035 • Ph: (800) 637-7567
microfridge.com

Specifications are subject to change. Please contact
your sales representative for further details.

08.29.19 V1

"MicroFridge" and the MicroFridge logo and "Safe Plug" and the Safe Plug logo, "1st Defense Smoke Sensor" and
1st Defense Smoke Sensor logo are registered trademarks of Intirion Corporation. © Intirion Corporation 2015